MAX M. MAURÉR P09-99-092 1 of 11

100




Figure 1

PRIOR ART

200

EN ILL





Figure 2

PRIOR ART




PRIOR ART

Poq. 99-092 4 of 11

					40 0 S	402				
AC	FC Destination MACID			Source MACID			(RI)	<u></u>		
			Figu	re 4	PRIOR 1	GRT				
0			19	5 16			31	\mathcal{L}	. 5	00
	sion	Hdr Len	TOS		Packet Length					
		Identif	ication	Flags	Fragment Offset					
	Т	TL	Protocol		IP Checksum					
Source IP Address										
{Options}										
•	Figure 5 PRIOR ART									
	602									0
0	Tijle si	1	e Port	5 16	Dookingtion D		31			
100		Sourc	the transfer was distributed the transfer of t	N	Destination P	οπ	_			
<u> </u>			Sequenc Acknowledg	e Number		· · · · · · · · · · · · · · · · · · ·				
	_									
Hdr Len Flags			Window Size			_				
		TCP Ch	ecksum		Urgent Pointer					
{Options}										
Figure 6										

PRIOR ART

P09-92-092 5 of 11




PRIOR ART

P09-99-092 Le of 11



	MAC Hdr	IP Hdr	TCP Hdr	Data
	MACID	IP Addr	Port No	Application Data
802a		_804a		
- 1	1	1.1.1.1	1	
		_804b		
802 6	2	1.1.1.2	1	
		ے 804 د		
802c	3	1.1.1.3	1	
		_804d		
17 802d	4	1.1.1.4	1	
		•		•
2 b [804n:		· .
7		11		1
	100	1.1.1.100	1	

Figure 8



that that the ten that




Figure 10

Pog-99-092 9 of 11

1100






Figure 11

POG-99-092



Pog. 99-092 11 of 11 ~1400



ė

ťΠ

Figure 14